www.jahm.in (ISSN-2321-1563)



REVIEW ARTICLE

STUDY OF *SANKETMANJARI* COMMENTARY ON *ASHTANGA HRIDAYAM* W.S.R. TO CONTRIBUTIONS IN *ROGANIDANA* RITESH ASHOK GUJARATHI¹ ABHIJIT JOSHI²

ABSTRACT:

Ashtang Hridayam is the samhita (Text) which is widely accepted by scholars of Ayurveda. Maximum commentaries are written on Ashtanga Hridayam. Most of the commentaries written on Ashtanga Hridayam are either lost or not accessible in complete form. According to the history of Ayurveda, Sarvanga Sundara is the only complete commentary available on Ashtanga Hridayam. Apart from Sarvanga Sundara, there is one more commentary on Ashtanga Hridayam which is also complete. The name of this commentary is Sanketmanjari, written by Damodara. This commentary has remained unnoticed in the history of Ayurveda. The first reference of this commentary is available in the text of 19th century. The present article is about the contributions available in the main text of Ashtanga Hridayam as well as in the Sanketmanjari commentary in Roganidana (Diagnostics). There are several verses which are the part of main text of Ashtanga Hridayam with Sanketmanjari commentary and are not available in the main text of widely used Ashtanga Hridayam with Sarvanga Sundara and Ayurveda Rasayana commentary. Such verses are either taken from the contemporary samhitas or the available commentaries.

Key Words: Ashtanga Hridayam, Sanketmanjari, Sarvanga Sundara, Ayurveda Rasayana, Roganidana

¹Associate Professor, Dept of Samhita & Siddhanta, G J Patel Institute of Ayurvedic Studies and Research, New Vallabha Vidyanagar, Anand, Gujarat, INDIA

²Head, Dept. of Ayurveda, Tilak Maharashtra Vidyapeeth, Pune, INDIA

Corresponding Email id: drritesh00@gmail.com Access this article online: www.jahm.in

Published by Atreya Ayurveda Publications under the license CC-by-NC.

INTRODUCTION

Sanketmanjari commentary on *Hridayam* is the only complete commentary available on Ashtanga Hridayam besides Sarvanga Sundara commentary. Reference of this commentary is available in Aufrecht's written in 19th 'Catalogus Catalogorum' century¹. Another reference of this commentary is also available in Ashtanga Hridayam edited by Harishastri Paradkar Vaidya², in Ayurveda Ka Vaigyanika Itihasa written by Acharya Priyavrat Sharma³, in Vagbhata Vivechana written by Acharya Priyavrat Sharma⁴. The only information available in all these books is the name of the author of the commentary i.e Damodara.

According to the reference in uttarasthana, Sanketmanjari commentary is written by Damodar Ranade. This commentary might be written in late 17th century or early 18th century. This commentary has several contributions in Basic Principles, dravyaguna (Ayurveda Pharmacology), bhaishajyakalpana (Pharmaceticals), roganidana (Diagnostics), kayachikitsa (General Medicine) etc. Here the contributions of Sanketmanjari and main text of Ashtanga Hridayam in the field of roganidana is discussed.

AIMS AND OBJECTIVES

Aims and objectives for the study were

- 1. To study the main text of *Ashtanga Hridayam* with *Sanketmanjari* commentary to find out new additions in the field of *roganidana*
- 2. To study the *Sanketmanjari* commentary in comparison with *sarvangasundara* commentary and *Ayurveda Rasayana* commentary to find out new additions in the field of *roganidana*

MATERIALS AND METHODS

Materials

- 1. Ashtanga Hridayam with Sanketmanjari commentary and Anantsundari Vyakhya by Prof. M K Vyas (Under Publication)
- 2. Ashtanga Hridayam, (Moola Samhita), with Sarvangasundara Commentary & Ayurveda Rasayana Commentary Edited by Harishastri Paradkar Vaidya

Methods

Ashtanga Hridayam with Sanketmanjari commentary is chapter wise critically studied along with other available commentaries like Sarvangasundara and Ayurveda Rasayana as under. Each and every shloka of Sanketmanjari commentary is studied to find out new additions in the main text of Ashtanga Hridayam as well as additions in the commentary.

OBSERVATIONS

Table no.1: showing the contribution of *Ashtanga Hridayam* with *Sanketmanjari* Commentary in *Roganidana* along with their reference

Sr. No.	Roganidana Contributions	Reference
1.	Samanya marmaviddha lakshana** (General Sign and symptoms	Sha.4/52

	of injury to vital parts of the body)	
2.	Marmabhighata lakshana** (Specific Sign and symptoms of injury to vital parts of the body)	Sha.4/72-75
3.	Haridra sannipata lakshana** (Sign and symptoms of a particular type of fever)	Ni.2/34
4.	Dhatugat jvara lakshana** (Sign and symptoms of fever taking shelter of various body tissues)	Ni.2/80-85
5.	Pratyadhmana** (Abdominal Distension)	Ni.11/61
6.	Vibandha lakshana* (Constipation)	Utt.2/20
7.	Different color shades in <i>kacha dosha</i> (An eye disorder) as per the <i>dosha</i> (Body humour) predominance*	Utt.12/6,7
8.	Pootigandha roga* (An Oral disorder)	Utt.21/16
9.	15 types of <i>Dushta vrana</i> * (Infected wound)	Utt.25/5
10.	Characteristics of incurable snake bite**	Utt.36/33-35
11.	Fish Bite symptoms**	Utt.37/6
12.	Makshika (Fly) Bite symptoms**	Utt.37/6,7
13.	Touch of particular part of <i>Keeta</i> (Insect) producing particular doshika lakshana** (Sign and symptoms as per the particular Body humour)	Utt.37/8

(Sha. – Sharirasthana, Ni. – Nidanasthana, Utt. - Uttarasthana)

1. Samanya marmaviddha lakshana

Savintextilmitatila ittxtqttavu ztiitmutiqtitt

xuf&få qf@Nti utlqf: µffxffå qfqfilut®xrf sf¤fhfqfd|

xÉÇqÉ.10û - AliÉÜLEQ zsÉÉMüqÉIrÉå mÉÉP**å** IÉÉ**å**ÉsÉokÉ:||

This shloka is about the general sign and symptoms produced due to injury to any of the *marma* (Vital part of the body). After injury to *marma* the person may feel sleepy, heaviness of that body part, confusion, desire to take cold

things, sweating, unconsciousness, vomiting and dyspnea.

2. Marmabhighata Lakshana

lutl¤tmrtitá ptætç xtïsltç ztörttá ptætlit utátitá
Ekutç µtíxtlit MücNánt §txitatt§ttá qtíwoqtáwo||
™srtç s½itá cttxrt ltávűxjttltá lit¸itá
qtqttártbttittlqtUhtqtittá íst...áixtqtzltötá|
Aqtqtilut®tálmt ltU¶t&pt&tlsmtllQút:|
Alitiltx§tötU£ü¶t xt±xrt irtetlit etilutitqt¢|

^{*} Additions found in *Sanketmanjari* Commentary other than *Sarvanga Sundara* and *Ayurveda Rasayana* commentary.

^{**} Additions found in Main text of Ashtanga Hridayam.

qÉqÉurÉÉmiÉå iÉÑ SĂVåÅÎxqÉIÉÉrÉÐÁÉqÉÉÍÍpÉU¤ÉÌIÉ|

Atribrethreut xtutat xtst itxqttl2ctxtht:||

xÉÇqÉ.10û – luél¤émréié Cirééls zsétáMücéiéM réç Yuélcéiéç mékiéMä ¤éaéMQ......

These four shlokas describe the impact of Marmabhighat marmabhighat. leads convulsion in the body parts, excessive pain, unconsciousness, giddiness, tremors, severe dyspnea, pain in body parts, burning sensation in cardiac area which spreads to other parts of the body and leads to death. Injury to the body parts other than marma also leads to various kinds of pain in the body. *Marmabhghat* leads to excessive bleeding leading to immediate death. The suffering person from marmabhighata can only be survived when he has some life left to live. Therefore intellectuals should indulge in to only those activities which are good for life.

3. Haridra sannipata lakshana

uterente Mütü A® at Int Egelit: méréli Qui eqet

urtuttlrtiuttš xttæqrttš otlWiqttati; mtetititä|

iế để WhieuSìlé gi chết xế (3 ếm tếi tế ở lui đã cuếu đ

xÉÇQÉ.ÌOù - WÁËUSìxÉͳÉmÉÉIÉÇ SɤÉrÉÌIÉ| UÉÉrÉÑÉÀIÉ||34||

This shloka comes after describing the three names of *sannipata*. *Vata dosha* (One of the body humours) leads to blockage of *kapha* (One of the body humours), inturn this leads to movement of *pitta* (One of the body humours) towards *bahya marga* (One of the disease pathways) due to its *vyavayi* (A property by which poison can spread in to the body without

digestion) and *sukshma* (minute) properties which changes the colour of the eyes in to yellow. This *sannipata* is termed as *Haridra sannipata*.

4. Dhatugata jvara lakshana

EiYsfæftå affælufç Særfç pf...áå...állffç lufefgpfhfgfd

AUÉICÉMÜÉI UÉÍQÉ: xÉÉS: xÉUÉI xqÉ lÉç UxÉIÉI eUÉUI 80|

Utklesha (Nausea), gaurava (Heaviness), dainya bhava (miserable state), angabhanga (fracture), jrimbha (yawning), arochaka (anorexia), chardi (vomitting), angasada (lassitude) are the signs and symptoms of Rasagata jwara (fever).

U£ül _uÉIÉÇ iÉwhÉÉU£üÉŵhÉÌmÉÌOíMüÉæqÉ:|

SÉWWÉaÉpÉgÉgÉSÉ: mÉsEÉMÉÉ UEüxÉÇ´ÉIÉ | 81 |

Raktashtheevana (haemoptysis), Thirst, origin of rakta (red) and ushna (warm/hot) pitika (boil), Burning sensation, redness, giddiness, mada (intoxication) and irrelevant talking are the signs and symptoms of Raktagata jwara.

iÉDasÉÉTTÉ: xÉZ UÉCÉR iUÉGÉTTÉSÉWÁ PÉGÉR IÉGÉ:

Statikrt(attstlut ztatta qtt(xtxjta qtslxt lxjtita)82||

Thirst, weakness, diarrohea, antardaha, giddiness, Foul smelling, convulsions are seen in the patient when the jwara is located in mamsa (one of the seven body tissues) and meda (one of the seven body tissues).

xuÉ&ÉåÀliÉiÉwhÉÉ uÉqÉIÉÇ iuÉaaÉIKÉxrÉÉxÉÌWŵhÉÑÉÉ|

mÉisÉÉmÉEå asÉÉÌTÉVÁÍCÉVÎxjÉxjÉå ivÉÎxjÉpÉiSTÉqÉ¢|83||

Sweating, excessive thirst, vomiting, unbearable foul smell of the body, delirium, weakness, anorexia is seen in the patient when

aÉÑOMÜÉÃ MÉGÉ¢

the *jwara* is located in *asthi* (one of the seven body tissues).

Statmtütk"tÃkuttkt: µttxtt...fi¤tatMûetItqt¢

AliÉSÉMűá oÉlWű zéáré(µÉÉxÉÉå lWikqÉÉ cé gé< aéå|84||

Upward and downward movement of *doshas*, dyspnoea, convulsions, cooing sound of breathing, burning sensation inside the body, externally body parts are cold, hiccough is seen in the patient when the *jwara* is located in *majjadhatu* (one of the seven body tissues).

zÉNCüméülk Égékrénje eféréifá zéncüxé(éréá)85||

iÉqÉxÉÉå SzÉilÉÇ qÉqÉicNæSlÉÇ xiÉokÉqÉæTűÉÉ

xfÇqf.l0ù - Ajf UxfflSxjf eufUsf¤fhfflrffWi EiYsfæf Clif| xmf¹f: wfOi|80,81,82,83,84,85||

Episodes of blackouts, cutting pain into vital parts of the body, stiffness in male genital organ, secretion of semen and death is seen in the patient when the *jwara* is located in *shukradhatu*(one of the seven body tissues).

5. Pratyadhmana lakshana

lutqtiEunttµti™SrtÇ itSinttqttztrttåij titqt¢
mtarttkqttlt lutettlltrttiMüTüurttMilstittlltstqt¢|61||

x£Çq£ÇlOù - mtértÉkq£El£Ç s£¤£rflié| lu£q£Æálié| MüTüur££MÁls£i££ll£s£ÇMüTáll£Eu£Â®u£Ei£g£¢

This *shloka* defines *pratyadhmana*. Movemant of *vata dosha* located in *amashaya* (stomach) is restricted by *kapha*, in turn which produces pain in *hridaya* (heart) and *parshva* (flanks). Same *shloka* is available in *Sarvanga Sundara* commentary of previous *shloka* (61) where the main source of this shloka is mentioned as *Sushrutsamhita Nidanasthana*

1/89. But in *Sanketmanjari* this *shloka* is described as a part of main text of Ashtanga Hridayam.

6. Vibandha lakshana

ÌuÉoÉ®Ç

luÉlcNiPégéMüaéNOMüfa EUgÉmÉUaÉNOMüÉluÉsÉgoÉÉiÉç

mÉiÉiÉlirÉj É:||20||

Vibaddha Mala (Constipated fecal matter) means the person passes hard stool pieces with more time interval between the two pieces during defecation.

7. Different color shades in *kacha dosha* as per the *dosha* predominance

MűÉCÉSÉMÉQÉÉWÜ MÉÉMIÉLÉÉÁÉÜLÉ| MűÉCÉSÉMÉA FKUÉGÉUÉÄÉIÉÁ

IÉÉÅKÉXIÉÉIÉ¢ IÉŠ XÉÞPQÉUÉXŞÉEUÉAÉÜNPÜÉLGÉUÉ||6|| rÉjÉÀIÉ|

SÒ¹¶É rÉjÉÉ UÉNÉGÉLÉÜDERÉÁÉ ALÉÜDEÜÉ PÉUÉLIÉ| rÉjÉÉ

UÉÉIÉÉLKÉMÁ SÉMÉA MÄWHÉÉ ÌMÉTÉÉLKÉMÁ SÉMÉA MÉTIÉÉ MÜTÜÉLKÉMÁ

SÉMÉA µÉÁÉÉ| UEÜÉLKÉMÁ UEÜÉ| UÉÉIÉLMÉTÉÉLKÉMÁ IÉTSÉÉ|

UÉÉIÉMÜTÜÉLKÉMÁ GÉCÉMÜÉ| UÉÉIÉUEÜÉLKÉMÁ KÉÓJÉÉ|

ÌMÉTÉMÜTÜÉLKÉMÁ ÍXÉLSÖE| ÌMÉTÉUEÜÉLKÉMÁ XÉ IÉÆEÉXMÜÉ||

MÜTÜUEÜÉLKÉMÁ MÉGOÍSÉÁIÉ|

A patient with *kacha dosha* can see only in upward direction and cannot be seen in downward direction. He sees the things covered with a thin cloth. As the *drishti* (pupil of the eye) becomes more and more dark the vision reduces. Different color shades are seen as per the *dosha* predominance

1. VATA Predominant dosha – Drishti becomes krishna (Black)

- 2. *Pitta* Predominant *dosha Drishti* becomes *peeta* (Black)
- 3. *Kapha* Predominant *dosha Drishti* becomes *shweta* (White)
- 4. *Rakta* Predominant *dosha Drishti* becomes *rakta* (Red)
- 5. *Vata-pitta* Predominant *dosha Drishti* becomes *neela* (Blue)
- 6. *Vata-kapha* Predominant *dosha Drishti* becomes *mechaka* (Dark Blue)
- 7. *Vata-rakta* Predominant *dosha Drishti* becomes *dhooma* (Smoky)
- 8. *Pitta-kapha* Predominant *dosha Drishti* becomes *sindoora* (Vermilion)
- 9. *Pitta-rakta* Predominant *dosha Drishti* becomes *tejaska* (Shiny)
- 10. *Kapha-rakta* Predominant *dosha Drishti* becomes *patala*

8. Pootigandha roga

Slifqfsf: ÎxjfUïpfôf: mfðifaflkflffqff Ufaf: | xf Luffafl¤fif: zfMïUfufl³fxfUifïirfif: zfMïUf||16||

Due to not taking care of oral hygiene, waste material gets deposited at the teeth known as *poogandharoga*. Ignorance of this disease leads to new disease i.e. *sharkara*.

9. 15 types of Dushta vrana

xEVE instance meggeszekke peuflie rejet uffifee: Imfifee:
MüTüef: VEüef: uffiflmtifee: uffifMüTüef: uffifVeüef:
ImfifMüTüef: ImfifVeüef: MüTüVeüef: uffiflmtifeef:
ImfifMüTüVeüef: MüTüVeüuffifeef: Veüuffiflmtifeef:
uffiflmtifMüTüVeüef¶Eifif||5||

15 types of *Dushta vrana* are enlisted in the commentary.

Vataja, Pittaja, Kaphaja, Raktaja, Vatapittaja, Vatakaphaja, Vataraktaja, Pittakaphaja, Pittaraktaja, Kapharaktaja, Vatapittakaphaja, Pittakapharaktaja, Kapharaktavataja, Raktavatapittaja and Vatapittakapharaktaja are the 15 types of Dushta Vrana.

10. Characteristics of incurable Snake Bite

effqofufmfðifqffð Sçzf: Mûqfmf× ufSðfif:||33||

UEQ ZÉPOTÉ: xéqéxiépotétá utitifitá lé itű Scztit:

UÉMÉWWÉÉM IÉ ÍZÉÍZÉUÆ µÉrÉjÉBSÉÉMWŰÉÉMÁXÉIÉ:||34||

™¹qÉWűÉÉÉ uÉY§ÉuÉ¢üiuÉÇ rÉxrÉ iÉÇ irÉeÉåÉ¢

ìWkqt£µ££x££å u£lq£: Mu£x££å S¹q££§£xr£ SåWd£:||35|| e££r£li£å r£å££m£±xr£ x£ ™iz£6s£ï l£ e£lu£li£|

These two *shloka* are also available in *Sarvangasundara* commentary but here they are available in main text.

This commentary is in the context of sign and symptoms of incurable snake bite. When the snake bite lesion becomes blackish like *jambuphala* (Eugenia jambolana/ Syzygium cumini), the lesion gets slightly elevated similar to the back of a tortoise, bleeding through all the channels of the body, horripilations as seen in winter season, reddish or blackish oedema, penile erection, *mukhavakrata* (twisting of the jaw), *hidhma* (hiccough), *shvasa* (dyspnoea), vomitting, cough, then the patient does not survive.

11. Fish Bite Symptoms

qÉEIxrÉEå SÇZÉ: xÉÂaSÉWû mÉCaEåuÉEÆüEå eÉsÉEAMüxÉEqÉ¢

Fish bite – Fish bite leads to pain and burning sensation similar to Leech bite.

12. Makshika Bite Symptoms

ntértahé qél¤éMüé xévéti Széllié µéréjéésoéhéé:||6||
ié-¢zétá SéWMüh Qüpétléç iééxééç ién mélhéMüéç iréetáté ié-¢zétá IndloMüé zréévéé 'éévéhél pédéüréSvéé||7||

Makshika dansha (bite) – Generally all flies produce increased inflammation after bite. Out of these flies, Panika named makshika Bite should not be treated as it produces burning and itching and is incurable. Same way Shraavani makshika bite produces bluish swelling with lot of complications.

13. Touch of particular part of *keeta* producing particular *doshika lakshana*

utelitMü: mt¤tmttitat xmtzttizelit mtartmi:

qÉNZÉTÉ ZSÉTÉNGÉMÜ: MÜDOÙ XÉVÉTEKÉTÍTÉMÜ:||8||

xÉÇqÉ.ÌOù - uÉEÌiÉMü: MüĐOù mɤÉÉbÉÉIÉÀ IÉBEÉ ÌUÉWÉÇ xÉÇ¢üÉqÉrÉÌIÉ| ÌSakÉÌUÉWÉÉ¢üÉIIÉÌUÉWÉMÜÐOÐIÉ UÉÉ S¹Ç rÉcNbÜÏUÇ iÉxqÉE< ÉIÉÉ:||

Vatika sign and symptoms are produced due to touch of the limbs/legs of the keeta. Paittika sign and symptoms are produced due to touch of keeta. Kaphaja sign and symptoms are produced due to mouth(saliva) of the keeta. Sannipatika sign and symptoms are produced due to touch of the limbs/legs, body and saliva of the keeta.

CONCLUSION:

1. Study of main text of *Ashtanga Hridayam* with *Sanketmanjari* commentary shows several additions as compared to the *Ashtanga*

Hridayam edited by Harishastri Paradkar Vaidya.

- 2. Certain verses which are available in either *Sarvanga Sundara* commentary or *Ayurveda Rasayana* commentary are found in the main text of *Ashtanga Hridayam* with *Sanketmanjari* commentary.
- 3. It is possible that the author Mr *Damodara* Ranade might have referred Sarvanga Sundara commentary and Ayurveda Rasayana commentary while writing Sanketmanjari commentary.
- 4. Contributions in *Roganidana* are availale in the main text of *Ashtanga Hridayam* as well as in *Sanketmanjari* commentary.
- 5. Contributions from main text of Ashtanga Hridayam are samanya marmaviddha lakshana, marmabhighata lakshana, dhatugat jvara lakshana, pratyadhmana, Characteristics of incurable snake bite, Fish Bite symptoms, makshika Bite symptoms etc.
- 6. Contributions from *Sanketmanjari* commentary are *vibandha lakshana*, *pootigandha roga*, 15 types of *dushta vrana*, Different color shades in *kacha dosha* as per the *dosha* predominance.

REFERENCES:

- Ashtanga Hridayam of Vagbhata, Edited by Harishastri Paradkara Vaidya, Introduction, Chaukhanha Orientalia, Varanasi, Reprint Ninth Edition, 2005, p. 7
- 2. Ashtanga Hridayam of Vagbhata, Edited by Harishastri Paradkara Vaidya, Vagbhata Vimarsha, Chaukhanha Orientalia, Varanasi, Reprint Ninth Edition, 2005, p. 29

- 3. Ayurveda Ka Vaigyanika Itihasa, Acharya Priyavrat Sharma, Chaukhambha Orientalia, Varanasi, Reprint Edition, 2008, p. 191
- 4. Vagbhata Vivechana, Acharya Priyavrat Sharma, Chaukhambha Bharati Academy, Varanasi, Reprint Edition, 2003, p. 361

Acknowledgements: We are thankful to Prof. M. K. Vyas for providing the *Ashtanga Hridayam* with *Sanketmanjari* commentary and *Anantsundari Vyakhya*.

Cite this article as: Ritesh Ashok Gujarathi, Abhijit Joshi. Study of Sanketmanjari Commentary on Ashtanga Hridayam W.S.R. to Contributions in Roganidana, *J of Ayurveda and Hol Med (JAHM)*.2016;4(5):35-42

Source of support: Nil

Conflict of interest: None Declared.